

Process Management II



CS 351: Systems Programming
Melanie Cornelius

```
void fork7() {  
    if (fork() == 0) {  
        printf("Terminating Child, PID = %d\n", getpid());  
        exit(0);  
    } else {  
        printf("Running Parent, PID = %d\n", getpid());  
        while (1) ; /* Infinite loop */  
    }  
}
```

(demo)



All terminating processes turn into *zombies*



“dead” but still tracked by OS

- pid remains in use

- exit status can be queried



§ Processes Reaping and Synchronization



All processes are responsible for reaping
their own (immediate) children



So what happens if we don't?



```
int main() {
    int i;
    for (i=0; i<3; i++) {
        if (fork() == 0)
            exit(0);
    }
    printf("Parent pid = %d\n", getpid());
    while (1) ; /* non-terminating parent */
}
```

```
$ ./a.out &
Parent pid = 7254

$ ps -g 7254
  PID STAT  TIME    COMMAND
 7254 S      0:00.01 ./a.out
 7255 Z      0:00.00 (a.out)
 7256 Z      0:00.00 (a.out)
 7257 Z      0:00.00 (a.out)
```




```
int main() {
    int i;
    for (i=0; i<3; i++) {
        if (fork() == 0)
            exit(0);
    }
    printf("Parent pid = %d\n", getpid());
    return 0; /* (parent exits) */
}
```

```
$ ./a.out
Parent pid = 7409

$ ps -g 7409
PID STAT  TIME  COMMAND
```



Orphaned processes (i.e., with terminated parents) are *adopted* by the OS kernel

... and the kernel always reaps its children



It is especially important for *long-running*
processes to reap their children

(why?)



```
int main() {  
    int i;  
    for (i=0; i<3; i++) {  
        if (fork() == 0)  
            exit(0);  
    }  
    printf("Parent pid = %d\n", getpid());  
    return 0; /* (parent exits) */  
}
```

Q: who reaps the parent??



A: The **Shell!**



```
int main() {  
    printf("My parent's pid = %d\n", getppid());  
    printf("My own pid = %d\n", getpid());  
    return 0; /* terminate -> zombie */  
}
```

```
$ ./a.out  
My parent's pid = 7600  
My own pid = 7640  
  
$ ps  
  PID STAT   TIME COMMAND  
 7600 Ss      0:28.32 -bash
```

The Shell! (how does it do it?)



```
pid_t reap(int *stat_loc);
```

(I wish)



```
pid_t wait(int *stat_loc);
```




```
pid_t wait(int *stat_loc);
```

when called by a process with ≥ 1 children:

- *waits* (if needed) for a child to terminate
- *reaps* a zombie child (if ≥ 1 zombified children, arbitrarily pick one)
- *returns* reaped child's pid and exit status info via pointer (if non-NULL)



```
pid_t wait(int *stat_loc);
```

when called by a process with **no** children:

- return **-1** *immediately* & populate **errno**



```
int main() {
    pid_t cpid;
    if (fork() == 0)
        exit(0);           /* child -> zombie */
    else
        cpid = wait(NULL); /* reaping parent */


    printf("Parent pid = %d\n", getpid());
    printf("Child pid  = %d\n", cpid);
    while (1) ;
}
```

```
$ ./a.out &
Parent pid = 7505
Child pid  = 7506


$ ps -g 7505
  PID STAT  TIME    COMMAND
 7505  R      0:00.05 ./a.out
```



```
void fork9() {  
    if (fork() == 0) {  
        printf("HC: hello from child\n");  
    } else {  
        printf("HP: hello from parent\n");  
        wait(NULL);  
        printf("CT: child has terminated\n");  
    }  
    printf("Bye\n");  
}
```



```
void fork9() {  
    if (fork() == 0) {  
        printf("HC: hello from child\n");  
    } else {  
        printf("HP: hello from parent\n");  
        wait(NULL);  
        printf("CT: child has terminated\n");  
    }  
    printf("Bye\n");  
}
```



wait allows us to *synchronize* one process with events (e.g., termination) in another



```
int main() {
    if (fork() == 0) {
        if (fork() == 0) {
            printf("3");
        } else {
            wait(NULL);
            printf("4");
        }
    } else {
        if (fork() == 0) {
            printf("1");
            exit(0);
        }
        printf("2");
    }
    printf("0");
    return 0;
}
```

A. 2030401

B. 1234000

C. 2300140

D. 2034012

E. 3200410

F. 3401200



```
int main() {
    if (fork() == 0) {
        if (fork() == 0) {
            printf("3");
        } else {
            wait(NULL);
            printf("4");
        }
    } else {
        if (fork() == 0) {
            printf("1");
            exit(0);
        }
        printf("2");
    }
    printf("0");
    return 0;
}
```

A. 2030401



B. 1234000

C. 2300140



D. 2034012

E. 3200410



F. 3401200




```
int main() {  
    int stat;  
    if (fork() == 0)  
        exit(1);  
    else  
        wait(&stat);  
    printf("%d\n", stat);  
    return 0;  
}
```

```
$ ./a.out  
256
```



“status” reported by wait is more than just the exit status of the child; e.g.,

- normal/abnormal termination
- termination cause
- exit status



```
/* macros */
WIFEXITED(status)      /* exited normally? */
WEXITSTATUS(status)    /* if so, exit status */
WIFSTOPPED(status)     /* process stopped? */
WIFSIGNALED(status)    /* process signaled? */
WTERMSIG(status)       /* if so, signal number */

/* prints information about a signal */
void psignal(unsigned sig, const char *s);
```



```
int main() {
    int stat;
    if (fork() == 0)
        exit(1);
    else
        wait(&stat);

    if (WIFEXITED(stat))
        printf("Exit status: %d\n", WEXITSTATUS(stat));
    else if (WIFSIGNALED(stat))
        psignal(WTERMSIG(stat), "Exit signal");
    return 0;
}
```

```
$ ./a.out
Exit status: 1
```



```
int main() {
    int stat;
    if (fork() == 0)
        *(int *)NULL = 0;
    else
        wait(&stat);

    if (WIFEXITED(stat))
        printf("Exit status: %d\n", WEXITSTATUS(stat));
    else if (WIFSIGNALED(stat))
        psignal(WTERMSIG(stat), "Exit signal");
    return 0;
}
```

```
$ ./a.out
Exit signal: Segmentation fault
```



```
void fork10() {
    int i, stat;
    pid_t pid[5];
    for (i=0; i<5; i++)
        if ((pid[i] = fork()) == 0) {
            sleep(1);
            exit(100+i);
        }
    for (i=0; i<5; i++) {
        pid_t cpid = wait(&stat);
        if (WIFEXITED(stat))
            printf("Child %d terminated with status %d\n",
                cpid, WEXITSTATUS(stat));
    }
}
```

```
Child 8590 terminated with status 101
Child 8589 terminated with status 100
Child 8593 terminated with status 104
Child 8592 terminated with status 103
Child 8591 terminated with status 102
```



```
/* explicit waiting -- i.e., for a specific child */  
pid_t waitpid(pid_t pid, int *stat_loc, int options);
```

```
/** Wait options **/
```

```
/* return 0 immediately if no terminated children */  
#define WNOHANG    0x00000001
```

```
/* also report info about stopped children (and others) */  
#define WUNTRACED  0x00000002
```



```
void fork11() {
    int i, stat;
    pid_t pid[5];
    for (i=0; i<5; i++)
        if ((pid[i] = fork()) == 0) {
            sleep(1);
            exit(100+i);
        }
    for (i=0; i<5; i++) {
        pid_t cpid = waitpid(pid[i], &stat, 0);
        if (WIFEXITED(stat))
            printf("Child %d terminated with status %d\n",
                cpid, WEXITSTATUS(stat));
    }
}
```

```
Child 8704 terminated with status 100
Child 8705 terminated with status 101
Child 8706 terminated with status 102
Child 8707 terminated with status 103
Child 8708 terminated with status 104
```




```
int main() {
    int stat;
    pid_t cpid;
    if (fork() == 0) {
        printf("Child pid = %d\n", getpid());
        sleep(3);
        exit(1);
    } else {
        /* use with -1 to wait on any child (with options) */
        while ((cpid = waitpid(-1, &stat, WNOHANG)) == 0) {
            sleep(1);
            printf("No terminated children!\n");
        }
        printf("Reaped %d with exit status %d\n",
            cpid, WEXITSTATUS(stat));
    }
}
```

```
Child pid = 8885
No terminated children!
No terminated children!
No terminated children!
Reaped 8885 with exit status 1
```

Recap:

- fork*: create new (duplicate) process
- exit*: terminate process
- wait*: reap terminated (zombie) process



§ Running *new programs* (*within* processes)



/* the "exec family" of syscalls */

`int execl(const char *path, const char *arg, ...);`

`int execlp(const char *file, const char *arg, ...);`

`int execv(const char *path, char *const argv[]);`

`int execvp(const char *file, char *const argv[]);`



Execute a *new program* within the
current process context



Complements `fork` (1 call \rightarrow 2 returns):

- when called, `exec` (if successful)
never returns!

- starts execution of new program



```
int main() {  
    execl("/bin/echo", "/bin/echo",  
          "hello", "world", (void *)0);  
    printf("Done exec-ing...\n");  
    return 0;  
}
```

```
$ ./a.out  
hello world
```



```
int main() {  
    printf("About to exec!\n");  
    sleep(1);  
    execl("./execer", "./execer", (void *)0);  
    printf("Done exec-ing...\n");  
    return 0;  
}
```

```
$ gcc execer.c -o execer  
$ ./execer  
About to exec!  
About to exec!  
About to exec!  
About to exec!  
...
```




```
int main () {
    if (fork() == 0) {
        execl("/bin/ls", "/bin/ls", "-l", (void *) 0);
        exit(0); /* in case exec fails */
    }
    wait(NULL);
    printf("Command completed\n");
    return 0;
}
```

```
$ ./a.out
-rwxr-xr-x  1 lee  staff   8880 Feb  8  01:51 a.out
-rw-r--r--  1 lee  staff   267  Feb  8  01:51 demo.c
Command completed
```



Interesting question:

Why are `fork` & `exec` separate syscalls?

```
/* i.e., why not: */  
fork_and_exec("/bin/ls", ...)
```



AI: we might really want to just create *duplicates* of the current process (e.g.?)



A2: we might want to *replace* the current program *without creating* a new process



A3 (more subtle): we might want to “tweak” a process *before* running a program in it

